


Still

Acoustic Wall Panel





spinneybeck




**Still is quietly
straightforward.**

Still keeps things simple while maximizing sound absorption. These flat panels come in three patterns with seven wood types and two finishes to provide a wide range of options. Constructed of Dukta Flexible Wood facing over an acoustic box with fleece infill, these unexpected acoustic panels provide an NRC of 0.75 to add natural texture with optimum performance.


Still was designed by Bernd Benninghoff, a furniture designer and interior architect based in Mainz, Germany.





“My goal is to develop products that are easy to manufacture and to install — but at the same time generate a strong three-dimensional surface that creates a warm atmosphere and plays with light and shadow.”

– Bernd Benninghoff, designer of Still



Exploded Axonometric

Foli Flexible Wood will have 5/16-3/8 in (8-10 mm) solid border on left and right edges


Product	Still
Designer	Bernd Benninghoff
Content	Flexible Wood + Akustika 10 Substrate (60% post-consumer recycled content)
Panel Size	3'-5" x 7'-10 3/4" (104.1 x 240.7 cm)
Thickness	1 15/16 in (5.4 cm) (includes Z-Clips)
Wood Open Area	Foli: 15–25% Linar + Sonar: 20–40%
Vertical Border	Foli Flexible Wood will have 5/16–3/8 in (8–10 mm) solid border on left and right edges
Custom	Custom sizes must be quoted
Durability	Contract or residential
Lead Time	Made to order and certain lead times will apply
Installation	Install in the pattern as specified and attach to a wall surface with Z-Clips provided (wall screws not included). Refer to Still Installation Instructions for complete guidance.
Maintenance	Dust regularly. Spot clean with cloth dampened with water only.
Variation	Wood is a natural material and minor changes in color are evidence of the 100% natural origin of the material. Please note that walnut will exhibit more conspicuous variation and finished woods may have a more pronounced grain.
Environmental	Akustika 10 contains minimum 60% post-consumer recycled content and is 100% recyclable Akustika 10 contributes to LEED®
Acoustics	ASTM C 423: NRC – 0.75, SAA – 0.73
Flammability	Test reports available upon request

Standard Colors


Dukta Flexible Wood




Foli
Baltic Birch Plywood
Natural




Foli
Baltic Birch Plywood
Finished




Foli
White Pine
Natural



Foli
White Pine
Finished



Foli
Douglas Fir
Natural



Foli
Douglas Fir
Finished



Foli
Walnut
Natural




Foli
Walnut
Finished




Foli
Standard MDF
Natural




Foli
Standard MDF
Finished




Foli
Grey MDF
Natural



Foli
Grey MDF
Finished




Foli
Black MDF
Natural



Foli
Black MDF
Finished



Linar
Baltic Birch Plywood
Natural



Linar
Baltic Birch Plywood
Finished



Linar
White Pine
Natural



Linar
White Pine
Finished



Linar
Douglas Fir
Natural




Linar
Douglas Fir
Finished



Linar
Walnut
Natural




Linar
Walnut
Finished




Linar
Standard MDF
Natural



Linar
Standard MDF
Finished



Linar
Grey MDF
Natural



Linar
Grey MDF
Finished



Linar
Black MDF
Natural



Linar
Black MDF
Finished




Sonar
Baltic Birch Plywood
Natural



Sonar
Baltic Birch Plywood
Finished




Sonar
White Pine
Natural



Sonar
White Pine
Finished



Sonar
Douglas Fir
Natural




Sonar
Douglas Fir
Finished



Sonar
Walnut
Natural



Sonar
Walnut
Finished



Sonar
Standard MDF
Natural



Sonar
Standard MDF
Finished



Sonar
Grey MDF
Natural



Sonar
Grey MDF
Finished



Sonar
Black MDF
Natural



Sonar
Black MDF
Finished

Akustika 10 Substrate



Dark Grey